



JOHNS MANVILLE INTERNATIONAL, INC.
Patent Department
P.O. Box 5108
Denver, Colorado 80217
(303) 978-2000

THE COMMISSIONER OF PATENTS AND TRADEMARKS
Washington, D.C. 20231

Re: Application of: Arterburn
Serial No.: 08/929,836
Filed: September 15, 1997
For: IMPROVED SCREEN FOR FIBERIZING BUSHINGS

Sir:

Transmitted herewith is/are the following document(s) related to the above-identified application:

- | | |
|---|--|
| <input checked="" type="checkbox"/> Acknowledgement of receipt card | <input checked="" type="checkbox"/> Response to Office Action dated December 15, 1998. |
| <input type="checkbox"/> Disclosure Statement Under 37CFR1.56 | <input type="checkbox"/> Request for Reconsideration |
| <input type="checkbox"/> Preliminary Amendment | <input type="checkbox"/> Sheet(s) of Formal Drawings |

The fee has been calculated as shown below:

CLAIMS AS AMENDED						
	Claims Remaining After Amendment		Highest No. Previously Paid for	Present Extra	Rate	Add'l Fee
Total Claims	24	minus	25		x\$ 22	
Ind. Claims	6	minus	6		x\$ 82	
First Presentation of Multiple Dependent Claim					x\$270	
Fee for Extension of Time				1 month	+\$110	
				2 months	+\$400	
				3 months	+\$950	
				4 months	+\$1,510	

Total Additional Fee for this Amendment \$-0-

- ☐ Charge \$ to Deposit Account No. 10-0625.
- ☒ Please charge any additional fees or credit overpayment to Deposit Account No. 10-0625.
- ☒ Two additional copies of this sheet are enclosed.

Robert D. Touslee
Registration No. 34,032
(303) 978-3927

Robert D. Touslee
Attorney

EXPRESS MAIL MAILING LABEL
NO. 16335896017

DATE OF DEPOSIT

GAU 1731

20399

I hereby certify that the above indicated document or documents are being deposited with the United States Postal Service "Express Mail Post Office to Addressee" service under 37 CFR 1.10 on the date indicated above and is addressed to the Commissioner of Patents and Trademarks, Washington, D.C. 20231.

Typed or printed name of person mailing paper or fee

Case Docket No. 6971

Date: February 2, 1998

RECEIVED
FEB 03 1998
GROUP 1700